

CLAIM AMENDMENTS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) An electric dental flosser apparatus comprising:
 - a drive shaft rotationally oscillatable about its own axis;
 - a drive mechanism operable to rotationally oscillate the drive shaft about its own axis;
 - a floss holder mounted on the drive shaft so as to be oscillated rotationally by the drive shaft; and
 - a plurality of mutually spaced floss strands ~~flosser element~~ stretched on the floss holder;
 - wherein the plurality of mutually spaced floss strands are ~~flosser element~~ is held taut in a direction perpendicular to an axial direction of the drive shaft so that one of the plurality of mutually spaced floss strands passes ~~as to pass~~ across an extension line of the drive shaft.

2. (Currently Amended) An electric dental flosser apparatus comprising:
 - a drive shaft rotationally oscillatable about its own axis;
 - a drive mechanism operable to rotationally oscillate the drive shaft about its own axis;

a floss holder mounted on the drive shaft so as to be oscillated rotationally by the drive shaft, the floss holder comprising a forked floss holding portion having a proximal end portion and opposite distal end portions; and

a plurality of mutually spaced floss strands ~~flosser element~~ stretched taut between the opposite distal end portions of the floss holding portion;

wherein an intermediate portion of a line connecting an intermediate portion of one of the plurality of mutually spaced floss strands ~~the flosser element~~ and the proximal end portion of the floss holding portion is positioned on an extension line of the drive shaft.

3. Cancelled

4. (Currently Amended) The electric dental flosser apparatus according to claim 1, wherein the floss holder comprises a neck portion mounted on the drive shaft and a floss holding portion mounted on the neck portion, and wherein the neck portion and the floss holding portion are formed independently, and the floss holding portion having the plurality of mutually spaced floss strands ~~flosser element~~ stretched thereon is removably mounted on the neck portion.

5. (Original) The electric dental flosser apparatus according to claim 4, wherein the floss holding portion is made of a biodegradable plastic material.

6. (Previously Presented) The electric dental flosser apparatus according to claim 1, wherein the floss holder comprises a generally U-shaped floss holding portion having opposite distal end surfaces, an outer side surface, and a floss guide groove defined in the opposite distal end surfaces and at least a portion of the outer side surface, and wherein a length of floss is wound around the floss holding portion while received in the floss guide groove.

7. (Currently Amended) The electric dental flosser apparatus according to claim 1, wherein the floss holder having the plurality of mutually spaced floss strands ~~flosser element~~ stretched thereon is removably mounted on the drive shaft.

8. (Currently Amended) The electric dental flosser apparatus according to claim 1, wherein the floss holder comprises a neck portion mounted on the drive shaft and a floss holding portion mounted on the neck portion, and wherein the floss holding portion is inclined such that the plurality of mutually spaced floss strands ~~flosser element~~ stretched on the floss holding portion is are positioned on a further distal end side beyond a distal end of the neck portion in an axial direction of the drive shaft.

9. Canceled

10. (Previously Presented) The electric dental flosser apparatus according to claim 2, wherein the floss holder comprises an elastically deformable neck portion mounted on the drive shaft and a floss holding portion mounted on the neck portion.

11. (Currently Amended) The electric dental flosser apparatus according to claim 2, wherein the floss holder comprises a neck portion mounted on the drive shaft and a floss holding portion mounted on the neck portion, and wherein the neck portion and the floss holding portion are formed independently, and the floss holding portion having the plurality of mutually spaced floss strands ~~flosser element~~ stretched thereon is removably mounted on the neck portion.

12. (Previously Presented) The electric dental flosser apparatus according to claim 11, wherein the floss holding portion is made of a biodegradable plastic material.

13. (Previously Presented) The electric dental flosser apparatus according to claim 2, wherein the floss holder comprises a generally U-shaped floss holding portion having opposite distal end surfaces, an outer side surface, and a floss guide groove defined in the opposite distal end surfaces and at least a portion of the outer side surface, and wherein a length of floss is wound around the floss holding portion while received in the floss guide groove.

14. (Previously Presented) The electric dental flosser apparatus according to claim 2, wherein the floss holder having the flosser element stretched thereon is removably mounted on the drive shaft.

15. (Currently Amended) The electric dental flosser apparatus according to claim 2, wherein the floss holder comprises a neck portion mounted on the drive shaft and a

floss holding portion mounted on the neck portion, and wherein the floss holding portion is inclined such that the plurality of mutually spaced floss strands ~~flosser element~~ stretched on the floss holding portion ~~is~~ are positioned on a further distal end side beyond a distal end of the neck portion in an axial direction of the drive shaft.

16. Canceled